

U.S.S.N 09/687,483

Braun et al.

PRELIMINARY AMENDMENT

REMARKS

Any fees that may be due in connection with this application throughout its pendency may be charged to Deposit Account No. 50-1213.

The specification is amended to add a formula that was inadvertently omitted from the specification as originally filed. In a preliminary amendment filed February 15, 2001, brackets were inadvertently placed in the formula that was sought to be added to the specification. The instant amendment seeks to remove the brackets. Basis for this amendment can be found in the specification, in particular page 108, lines 15-21, which describes a root mean square calculation of the residual error and defines the algebraic terms of the residual error formula. Thus, no new matter has been added.

Included as an attachment is a marked-up version of the specification paragraphs that are being amended, per 37 CFR §1.121.

* * *

Entry of this amendment and examination of the application are respectfully requested.

Respectfully submitted,
HELLER EHRLMAN WHITE & McAULIFFE LLP

By:

~~Stephanie L. Seidman~~
~~Registration No. 33, 779~~

Attorney Docket No. 24736-2033

Address all correspondence to:

Stephanie L. Seidman, Esq.

HELLER EHRLMAN WHITE & McAULIFFE

4250 Executive Square, 7th Floor

La Jolla, California 92037

Telephone: 858 450-8400

Facsimile: 858 587-5360

email:sseidman@HEWM.com



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Braun *et al.*
Serial No. 09/687,483
Filed: October 13, 2000
For: METHODS FOR GENERATING DATABASES
AND DATABASES FOR IDENTIFYING
POLYMORPHIC GENETIC MARKERS
Art Unit: 1645
Examiner: Unassigned

RECEIVED

APR 12 2001

TECH CENTER 1600/2900

ATTACHMENT TO THE PRELIMINARY AMENDMENT
MARKED UP PARAGRAPHS AND CLAIMS (37 CFR §1.121)

IN THE SPECIFICATION:

Please amend the specification as follows:

Please amend the paragraph on page 108, lines 15-21, as follows:

Referring to FIG. 51, a residual error is calculated by taking a root mean square calculation between the Gaussian 293 and the putative peak 290 in the data signal. The calculation is performed on data within one width on either side of a center line of the Gaussian. The residual error is calculated as:

$$\sqrt{(G-R)^2/N}$$

where G is the Gaussian signal value, R is the putative peak value, and N is the number of points from -W to +W. The calculated residual error is

U.S.S.N 09/687,483

Braun et al.


PRELIMINARY AMENDMENT ATTACHMENT

used to generate an adjusted signal-to-noise ratio, as described below.

* * *

Respectfully submitted,
HELLER EHRLMAN WHITE & McAULIFFE LLP

By:


Stephanie L. Seidman
Registration No. 38, 779

Attorney Docket No. 24736-2033

Address all correspondence to:

Stephanie L. Seidman, Esq.
HELLER EHRLMAN WHITE & McAULIFFE
4250 Executive Square, 7th Floor
La Jolla, California 92037
Telephone: 858 450-8400
Facsimile: 858 587-5360
email:sseidman@HEWM.com